

# INDEX MAPS.

**T. 14 N. R. 9 W. 2<sup>nd</sup> Mer.**

|     |     |     |     |     |     |     |    |     |    |     |    |     |
|-----|-----|-----|-----|-----|-----|-----|----|-----|----|-----|----|-----|
|     | 270 | 269 | 269 | 269 | 268 | 268 |    |     |    |     |    |     |
| 271 | 6   | 290 | 5   | 285 | 4   | 281 | 3  | 278 | 2  | 275 | 1  | 268 |
|     | 290 | 289 |     | 285 |     | 281 |    | 277 |    | 274 |    |     |
| 271 | 7   | 289 | 8   | 284 | 9   | 281 | 10 |     | 11 | 274 | 12 | 268 |
|     | 289 | 288 |     | 284 |     | 281 |    | 277 |    | 274 |    |     |
| 271 | 18  | 288 | 17  | 284 | 16  | 280 | 15 | 277 | 14 | 274 | 13 | 267 |
|     | 288 | 287 |     | 283 |     | 280 |    | 277 |    | 273 |    |     |
| 270 | 19  | 287 | 20  | 283 | 21  | 280 | 22 | 276 | 23 | 273 | 24 | 267 |
|     | 287 | 286 |     | 283 |     | 279 |    | 276 |    | 273 |    |     |
| 270 | 30  | 286 | 29  | 282 | 28  | 279 | 27 | 276 | 26 | 272 | 25 | 267 |
|     | 286 | 285 |     | 282 |     | 279 |    | 275 |    | 272 |    |     |
| 270 | 31  | 285 | 32  | 282 | 33  | 278 | 34 | 275 | 35 | 272 | 36 | 266 |
|     | 266 | 266 |     | 266 |     | 265 |    | 265 |    | 265 |    |     |

**T. 15 N. R. 9 W. 2<sup>nd</sup> Mer.**

|     |     |     |     |     |     |     |    |     |    |     |    |     |
|-----|-----|-----|-----|-----|-----|-----|----|-----|----|-----|----|-----|
|     | 300 | 300 | 300 | 299 | 299 | 298 |    |     |    |     |    |     |
|     |     |     |     | 301 |     | 300 |    |     |    |     |    |     |
| 302 | 6   | 323 | 5   | 318 | 4   | 314 | 3  | 310 | 2  | 306 | 1  | 298 |
|     | 323 | 322 | 317 | 314 | 310 | 306 |    |     |    |     |    |     |
| 302 | 7   | 322 | 8   | 317 | 9   | 313 | 10 | 309 | 11 | 305 | 12 | 298 |
|     | 322 | 321 | 317 | 313 | 309 | 305 |    |     |    |     |    |     |
| 302 | 18  | 321 | 17  | 316 | 16  | 313 | 15 | 309 | 14 | 305 | 13 | 297 |
|     | 321 | 320 | 316 | 312 | 308 | 304 |    |     |    |     |    |     |
| 302 | 19  | 320 | 20  | 316 | 21  | 312 | 22 | 308 | 23 | 304 | 24 | 297 |
|     | 320 | 319 | 315 | 312 | 308 | 304 |    |     |    |     |    |     |
| 301 | 30  | 319 | 29  | 315 | 28  | 311 | 27 | 307 | 26 | 303 | 25 | 297 |
|     | 319 | 318 | 315 | 311 | 307 | 303 |    |     |    |     |    |     |
| 301 | 31  | 318 | 32  | 314 | 33  | 311 | 34 | 307 | 35 | 303 | 36 | 296 |
|     | 296 | 296 | 295 | 295 | 295 | 295 |    |     |    |     |    |     |

The figures on the lines refer to the page.

Township No 15 North of Range No 9 West of the 2<sup>nd</sup> Mer. Line 295

South Boundary p. 650

West On the South Boundary of sec. 36. T 15 N R 9 W.  
 40.00 Set a 7/8" sap post from which  
 Oak. 24 in dia. beam N 49 W. 49 links east; to,  
 Li. 12 " " " East 40 " "  
 40.50 Enter a prairie  
 80.00 Set a post for the cor. of sec. 35 & 36. in prairie No  
 bearing True  
 Land rich and good for farming East 1/2 rate  
 land;

West On the South Boundary of sec. 35 T 15 N R 9 W  
 40.00 Set a 7/8" sap post from which  
 Oak. 15 in dia. beam N 57 W 12 links east; to,  
 Elm. 12 " " " N 72 E. 21 " "  
 46.10 A Sugar. 24 in dia. Set on as for the cor. of sec. 2 & 35.  
 on the Left Bank of the Matash River.  
 61.50 Set a post on the Right Bank of the Matash River  
 for the cor. of sec. 2 & 35. from which  
 Elm. 12 in dia. beam N 26 W. 11 links east; to,  
 Sycamore. 15 " " " S 43 E. 19 " "  
 80.00 Set a post for the cor. of sec. 34 & 35. from which  
 Hackberry 12 in dia. beam. N 78 E. 58 links east; to,  
 Maple. 6 " " " N 65 W. 57 " "

West On the South Boundary of sec. 34. T 15 N R 9 W  
 40.00 Set a 7/8" sap post from which  
 Oak 18 in dia. beam N 8 E. 50 links east; to,  
 Oak. 20 " " " S 22 W 42 " "  
 80.00 Set a post for the cor. of sec. 33 & 34 from which  
 Sugar. 14 in dia. beam N 39 E. 51 links east; to,  
 Li. 15 " " " S 17 W. 66 " "  
 Land good and good for farming; Timber Oak,  
 Sugar, &c.

West On the South Boundary of sec. 33. T 15 N R 9 W



10.00 Top Crk. 30 links mid, corner S.E. 11.50 50  
 40.00 Set a 1/4 section from which,  
 W Oak. 18 in diam. trees. N 40 E. 40 links dist. to,  
 Poplar. 36 " " " S 59 W. 28 " "  
 80.00 Set a post for the cor. of sec. 32 & 33 from which,  
 W Oak. 24 in diam. trees. N 79 E. 14 links dist. to,  
 Sugar. 10 " " " S 69 W. 17 " "  
 Good good for farming; Timber Sugar, Walnut,  
 Oak etc.

West On the East Boundary of sec. 32. T. 15 N R. 9 W  
 37.00 Top Crk. 10 links mid, corner N.E.  
 40.00 Set a 1/4 section from which,  
 W Oak. 24 in diam. trees. N 27 E. 19 links dist. to,  
 Oak 8 " " " S 5 E. 13 " "  
 80.00 Set a post for the cor. of sec. 31 & 32 from which,  
 Sugar. 10 in diam. trees. S 42 W. 31 links dist. to,  
 W Oak. 40 " " " S 52 E. 45 " "  
 Good land can do good for farming; Timber Sugar &

West On the East Boundary of sec. 31. T. 15 N R. 9 W  
 40.00 Set a 1/4 section from which,  
 W Oak. 20 in diam. trees. N 84 E. 71 links dist. to,  
 Poplar. 6 " " " S 18 W. 31 " "  
 51.50 Top Crk. 10 links mid, corner S.E.  
 The following note is added in red ink  
 "Of this line 5<sup>th</sup> 40.00 to the P. & G."

East Boundary  
 North On the East Boundary of sec. 30 T. 15 N R. 9 W  
 40.00 Set a 1/4 section from which,

T. N. 15. N. R. N. 9 W. 2nd (Mer. Sub. 7)

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 80.00                   | <p>Mulberry. 30 in diam: trees East 4 miles west; to<br/> W. Oak. 24 " " " S 43 N. 45 "<br/> Cut a post for the cor. of sec. 25 &amp; 36. from which<br/> Beck 27 in diam: trees. S 18 E. 15 miles west; to<br/> Sugar. 18 " " " N 21 W. 61 " "<br/> Land good for farming; Timber Buck, Sugar,<br/> Walnut, Hackberry, Ash &amp;c</p>                                                                                                                 |
| <p>North<br/> 40.00</p> | <p>On the East Corner of sec. 25 T. 15 N. R. 9 W.<br/> Cut a post from which<br/> W. Oak. 10 in diam: trees S 52 E. 7 miles west; to<br/> B. Oak. 8 " " " S 44 W. 10 " "<br/> Top Brook. 10 miles in, from S. W.<br/> 80.00 Cut a post for the cor. of sec. 24 &amp; 25 from which<br/> W. Oak. 40 in diam: trees N. 26 E. 10 miles west; to<br/> Do. 10 " " " S 48 W. 22 " "<br/> Land hilly &amp; 30<sup>th</sup> rate; Timber Buck, Oak &amp;c.</p> |
| <p>North<br/> 40.00</p> | <p>Between Sec. 19 &amp; 24. T. 15 N. R. 9 W.<br/> On the East Corner of sec. 24. T. 15 N. R. 9 W.<br/> Cut a post from which<br/> Beck 8 in diam: trees S 65 E. 22 miles west; to<br/> W. Oak. 14 " " " S 35 W. 32 " "<br/> 80.00 Cut a post for the cor. of sec. 13 &amp; 24 from which<br/> Sugar. 8 in diam: trees N 19 E. 4 miles west; to<br/> W. Oak. 12 " " " S 26 E. 32 " "<br/> Land hilly and 30<sup>th</sup> rate; Timber Buck, &amp;c</p> |
| <p>North<br/> 40.00</p> | <p>On the East Corner of sec. 13. T. 15 N. R. 9 W.<br/> Cut a post from which<br/> Sugar. 10 in diam: trees S 11 E. 23 miles west; to<br/> Oak. 10 " " " N 44 W. 45 " "<br/> 40.50 Top Brook 10 miles in, from N.<br/> 64.82 Intersect the Boundary line and cut a post for the<br/> cor. of sec. 13. from which<br/> Beck 8 in diam: trees S 64 E. 6 miles west; to</p>                                                                               |

Heater 12 in air: beam. S55 N. 19 W. apt. -  
 Land good for farming; Timber Sugar. Walnut  
 Blackberry, &c.  
 North On the East Boundary of sec. 13. T. 15 N. R. 9 W.  
 15.18 Set a post for the cor. of sec. 12 & 13 from which  
 W Oak. 9 in air: beam. S35 E. 30 units dist. to,  
 Heater 9 " " " N55 W. 20 " "  
 Land very rich;

North On the East Boundary of sec. 12, T. 15 N. R. 9 W.  
 27.50 To a creek, 200 yards more, corner W  
 40.00 Set a post from which  
 Sugar. 10 in air: beam. S8 E. 18 units dist. to,  
 W Oak. 27 " " " N40 W. 31 " "  
 80.00 Set a post for the corner 1 & 2 from which  
 Heater 14 in air: beam. S4 E. 17 units dist. to,  
 Oak 24 " " " N35 W. 46 " "  
 Land very rich and good for farming; Timber  
 Sugar. Oak & Walnut.

North On the East Boundary of sec. 1. T. 15 N. R. 9 W.  
 6.50 Enter a prairie.  
 40.00 Set a post in prairie.  
 No bearing true;  
 # 49.13 To the cor. of T. 15 N. R. 8 & 9 W. and set a  
 post from which  
 W Oak. 9 in air: beam. N76 W. 17 units dist. to,  
 Heater 5 " " " S37 E. 20 " "  
 # 47.00 Enter a thicket

North Boundary T. 15 N. R. 10 W.

July 21. 1819

West On a Manum line On the South Boundary of sec. 36  
 T. 16 N. R. 9 W.  
 40.00 Set a temporary post  
 60.00 Passed prairie



T. N. 15 N R. N. 9 W 2nd. (Mn. Ind. 299

|       |                                                                                                                                                               |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 80.00 | Set a temp. post for the cor of sec 35 & 36.<br>Land good for farming;                                                                                        |
| West  | On a Random line On the South Boundary of sec 35.<br>T. 16. N. R. 9 W.                                                                                        |
| 12.76 | To the Wabash River. Left Bank.                                                                                                                               |
| 24.43 | To the do. do. Right do                                                                                                                                       |
| 40.00 | Set a temp. $\frac{1}{4}$ sec post.                                                                                                                           |
| 80.00 | Set a " post for the cor of sec 34 & 35<br>Land post overflown; crude seat good for farming                                                                   |
| West  | On a Random line On the South Boundary of sec 34                                                                                                              |
| 5.00  | To a Spring Brook. 30 yds wide, corner S.                                                                                                                     |
| 17.00 | " " do. do. 34 " " "                                                                                                                                          |
| 31.00 | To a creek 30 yds wide, corner S.                                                                                                                             |
| 40.00 | Set a temp. $\frac{1}{4}$ sec post.                                                                                                                           |
| 61.00 | To a Spring Brook. corner S.                                                                                                                                  |
| 75.34 | Subcut the N Boundary of Township Purchase 211<br>into North of the cor on the Boundary<br>Sand Bottom                                                        |
| East  | On the True line On the South Boundary of sec. 34.<br>T. 16. N. R. 9 W. N. 60 40                                                                              |
| 35.34 | Set the $\frac{1}{4}$ sec post on the true line from which<br>Buckeye. 5 mi dist. bears N 11 E. 11 into creek; on<br>W. Oak. 12 " " " S 77 E. 19 " "          |
| 75.34 | Set the temp. post on the true line for the cor of sec 34 & 35<br>from which, Buck 24 mi dist. bears N 59 W. 29 the dist. 49<br>Sugar 30 " " " N 49 E. 19 " " |
| East  | On the true line On the South Boundary of sec. 35.<br>T. 16. N. R. 9 W.                                                                                       |
| 40.00 | Set a $\frac{1}{4}$ sec post on the true line from which<br>Hick berry. 12 mi dist. bears N 60 W. 15 the dist; on<br>do 10 " " " S 44 E. 10 " "               |
| 53.57 | N B Walnut 18 mi dist. stands for the cor of sec 35 on the                                                                                                    |



T. N<sup>o</sup> 15 N R. N<sup>o</sup> 9 W 2<sup>nd</sup> Mer. Ind<sup>a</sup>.Right Bank of the Wabash River  
Aug. 10<sup>th</sup> 1819

- East On the South Boundary of sec. 35.  
67.24 Set a post on the East or Left Bank of Wabash R.  
for the cor. of Grad. Sec. 35 from which  
Cottwood 12 in diam. bears N 40° W 29 lks east; 12,  
Oak 18 " " " S 70° E 25 "  
80.00 Set a post for the cor. of sec. 35 & 36 from which  
Oak 9 in diam. bears S 9° W 15 lks east; 12,  
Do. 12 " " " West 30 " "

- East On the line On the South Boundary of sec. 36.  
T. 16. N. R. 9 W.  
40.00 Set the tripit & a post in prairie  
No bearing trees  
80.00 Set the post cor. of T. 15 & 16 N. R. 8 & 9 W.

- East On the South Boundary of sec. 31 T. 15 N. R. 9 W.  
40.00 Set a post from which  
Sugar. 12 in diam. bears S 60° E 10 lks east; 12,  
Hickory 18 " " " N 65° W 62 "  
80.00 Set a post for the cor. of Sec. 31 & 32 from which  
Chest. 12 in diam. bears N 4° W 25 lks east; 12,  
Hickory 9 " " " S 50° E 22 "  
Land well adapted for farming; Timber Oak & Hickory

- East On the South Boundary of sec. 32 T. 16. N. R. 9 W.  
40.00 Set a post from which  
Hickory 18 in diam. bears N 55° W 5 lks east; 12,  
Do. 12 " " " S 29° W 26 "  
80.00 Set a post for the cor. of sec. 32 & 33 from which  
Sugar. 12 in diam. bears N 30° W 24 lks east; 12,  
Oak. 27 " " " S 55° E 11 "  
Land same.

- East On the South Boundary of sec. 33 T. 16. N. R. 9 W.

T. No 15 N R. No 977 Quid Man Ind. 301

5.00 To Brook. 13 links into, corner N.E.  
 15.00 " " No. 3 " " " "  
 40.00 Set a 7/8 eupost from which  
 Black. 30 in dist. from. S 81 W. 12 links dist; to  
 No. 30 " " " East 24 " "  
 62.50 To Brook. 13 links into, corner N.E.  
 80.00 Sugar 9 in dist. Stand for the cor of sec 33 & 34  
 Land rolling and good for farming; Timber Oak, Hickory  
 and Sugar.

East On the East Boundary of sec. 34. T. 16 N R. 977.  
 13.47 Enter cut the N Boundary of Harrison Purchase and set  
 a post for the cor of sec. 33 & 34 from which  
 Sugar 10 in dist. from. N 40 E. 11 links dist; to  
 N Oak. 14 " " " S 44 W. 26 " "

West Boundary

North On the East Boundary of sec. 36. T. 15 N R. 1577  
 40.00 Set a 7/8 eupost from which  
 Elm. 10 in dist. from. N 7 E. 24 links dist; to  
 No. 12 " " " S 36 W. 39 " "  
 60.00 Enter a prairie.  
 80.00 Set a post for the cor. of sec. 25 & 36. in prairie.  
 No bearing true.  
 Land good for farming

North On the East Boundary of sec. 35. T. 15 N R. 9077  
 40.00 Set a 7/8 eupost from which  
 Hickory 12 in dist. from. S 71 E. 32.5 links dist;  
 51.00 Enter prairie.  
 80.00 Set a post for the cor. of sec. 24 & 25 from which  
 Black. 18 in dist. from. N 49 E. 5 links dist; to  
 Hickory 15 " " " N 65 W. 55 " "  
 Land well and good for farming Timber Oak, Hickory  
 &c.

|                |                                                                                                                                                                                                      |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| North<br>40.00 | On the East Boundary of sec. 24 T. 95 N. R. 10 W.<br>Set a 1/4 ea post from which,<br>W Oak 12 in diam. beam. N 44 E. 21 units east, 1/2<br>W Oak 10 " " " S 34 W. 18 " "                            |
| 40.50          | To a Brook 10 units on a, corner E                                                                                                                                                                   |
| 76.00          | " " Do. 20 " " " " "                                                                                                                                                                                 |
| 80.00          | Set a post for the cor. of sec. 13 & 24 from which,<br>W Oak 12 in diam. beam. S 7 E. 25 1/2 units east, 1/2<br>Elm. 10 " " " N 12 W. 34 " "<br>Land 2 <sup>nd</sup> rate;                           |
| North<br>40.00 | On the East Boundary of sec. 13. T. 95 N. R. 10 W.<br>Set a 1/4 ea post from which,<br>Sugar 14 in diam. beam. N 84 E. 50 units east, 1/2<br>W Oak 28 " " " S 88 W. 24 " "                           |
| 80.00          | Set a post for the cor. of sec. 12 & 13 from which,<br>Sugar 14 in diam. beam. S 37 W. 54 units east, 1/2<br>W Oak 24 " " " N 28 W. 21 " "<br>Land 2 <sup>nd</sup> rate; Iron to Oak, Sugar & Healy. |
| North<br>40.00 | On the East Boundary of sec. 12 T. 95 N. R. 10 W.<br>Set a 1/4 ea post from which,<br>Hick 10 in diam. beam. N 33 E. 10 units east, 1/2<br>W Oak 10 " " " S 61 W. 23 " "                             |
| 80.00          | Set a post for the cor. of sec. 1 & 12 from which,<br>Hick 14 in diam. beam. S 16 W. 52 units east, 1/2<br>Elm. 10 " " " S 74 E. 37 " "<br>Land corner.                                              |
| North<br>40.00 | On the East Boundary of sec. 1. T. 95 N. R. 9 W.<br>Set a 1/4 ea post from which,<br>Sassafras 14 in diam. beam. S 86 W. 10 units east, 1/2<br>Healy 10 " " " N 73 E. 123 " "                        |
| 48.00          | To a Brook 10 units on a, corner E.                                                                                                                                                                  |
| 80.00          | Set a post for the cor. of T. 95 & 16. N. R. 9 & 10 W from<br>which, W Oak 14 in diam. beam. S 83 E. 4 units east                                                                                    |



T. No 13 N R. No 977 2<sup>nd</sup> Mer. Ind. 303

ends a Hackberry 15 in. diam. trees. N 80 W 48 1/2 mi. dist  
Land good for farming; Timber Oak, Sugar Hackberry  
Cotton etc.

Surveyed by  
William Harris  
Dep. Sur.

Subdivisions

North Between Sec 35 T36. T. 15 N. R. 9 W.  
25.50 Leave prairie.  
40.00 Set a 1/4 section from whet,  
W Oak 36. in diam. trees. S 8 E. 29 mi. dist. to  
Do. 8 " " " " N 6 W 131 " "  
80.00 Set a post for the cor. of sec 25, 26, 35 T36. from whet,  
W Oak 10 in diam. trees. S 44 W. 128 mi. dist. to  
E. 12 " " " " N 6 E. 216 " "  
Leave prairie and barrens; 2<sup>nd</sup> rate;

East On a line from between Sec 25 T36. T. 15 N. R. 9 W.  
2.00 Enter prairie.  
40.00 Set a timber 1/4 section.  
42.50 Leave prairie  
80.70 Enter sec the East Boundary 28 mi. South of the post  
cor. of sec 25 T36.  
Leave 2<sup>nd</sup> rate;

West On the line between Sec 25 T36. T. 15 N. R. 9 W.  
40.35 Set the timber 1/4 section at the ar. dist on the line  
from whet, W Oak 18 in diam. trees. N 81 E 24 8 mi. dist.  
80.70 To the post cor. of sec 25, 26, 35 T36.

Feb. 2<sup>nd</sup> 1816.

North Between Sec 25 T26. T. 15 N. R. 9 W.  
9.00 To a Prairie.  
25.00 Leave it  
40.00 Set a 1/4 section from whet,



|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>80,000</p>                      | <p>13 Walnut 12 in diam. trees. S 74 E. 28 Mts. dist, to<br/>       Elm. 6 " " " " N 29 W. 23 " "<br/>       Set apart for the cor of sec. 23, 24, 25 &amp; 26 from which<br/>       11 Ash 8 in diam. trees. S 17 N. 25 Mts. dist. to<br/>       Lgo 10 " " " " N 22 W. 11 " "<br/>       Land good for farming; Timber Oak, Sugar &amp;c.</p>                                                                                                                                                |
| <p>East<br/>40,000<br/>80.68</p>   | <p>Cap Ranam line between Sec 24 &amp; 25. T. 15 N. R. 9 W.<br/>       Set a timber pt. 1/4 E. post N. 60° 50'<br/>       Set on East Boundary 24 Mts. North of the<br/>       post on of Sec 24 &amp; 25.<br/>       Land West 1/2 mile level; &amp; good farming land<br/>       East 1/2 hilly.</p>                                                                                                                                                                                         |
| <p>West<br/>40.34<br/>80.68</p>    | <p>Cap Ranam line between Sec. 24 &amp; 25. T. 15 N. R. 9 W.<br/>       Set the timber pt. 1/4 E. post at the ar. dist. on the line<br/>       from which, Sugar. 10 in diam. trees. S 62 E. 43 Mts. dist.<br/>       and a Hackberry 26 " " " " S 89 W. 30 " "<br/>       Set the post cor of sec. 23, 24, 25 &amp; 26.</p>                                                                                                                                                                   |
| <p>North<br/>40,000<br/>80,000</p> | <p>Return Sec. 23 &amp; 24 T. 15 N. R. 9 W.<br/>       Set a pt. E. post from which<br/>       Hickory 12 in diam. trees. S 18 E. 22 Mts. dist; to<br/>       Walnut, 24 " " " " S 78 W. 18 " "<br/>       Set a post for the cor of sec. 13, 14, 23 &amp; 24 from which<br/>       Hackberry 9 in diam. trees. N 42 E. 25 Mts. dist. to<br/>       13. Walnut 24 " " " " S 59 W. 18 " "<br/>       Land over bottom, white oak &amp; firs. Timber Walnut,<br/>       Hackberry &amp; Elm.</p> |
| <p>East<br/>40,000<br/>80.50</p>   | <p>Cap Ranam line between Sec 23 &amp; 24 T. 15 N. R. 9 W.<br/>       Set a timber pt. 1/4 E. post<br/>       Set on East Boundary 7 Mts. North of the post<br/>       cor of sec. 13 &amp; 24<br/>       Land good for farming; Timber Sugar, Oak &amp;c.</p>                                                                                                                                                                                                                                 |

T. N. 15 N. R. N. 9 W. 2nd Mer. Ind. 305

West  
40.25. On the new line between Sec 13 & 24 T. 15 N. R. 9 W.  
Set the trip 17 1/2 in east at the ar due on the new line  
from white, 13 Walnut. 18 in air beam. 19 W. 22 N. due  
made a Heats 6 " " " N 45 W 22 "  
80.50 To the post on of sec 13, 14, 23 & 24.

North  
40.00 Between Sec 13 & 14 T. 15 N. R. 9 W.  
Set a 1/4 in east from white  
Oak. 24 in air beam. 12 W. 12 N. due; or  
Lo. 27 " " " N 60 W 30 "  
80.00 Set a post for the end of sec 11, 12, 13 & 14 from white  
Blackberry 15 in air beam. 24 W. 39 N. due; or  
Heats 27 " " " N 16 E. 15 "  
Equal land and good for farming; Timber Oak,  
Sugar Maple, &c.

East  
40.00 Between Sec 12 & 13 T. 15 N. R. 9 W.  
Set a 1/4 in east from white  
Backeye. 10 in air beam. South 25 N. due; or  
Lo. 12 " " " N 30 W. 25 "  
59.35 Enter east the Boundary line of Harrison Purchase  
and set a post for the end of sec 12 & 13 from white  
Elder. 14 in air beam. 16 E. 6 N. due; or  
Maple. 9 " " " N 77 W 8 "  
Land same.

East  
21.40 Between Sec 12 & 13 from the Old Borneo Rem.  
Enter east the East Borneo 39 N. due North of the post.  
Co. of sec 12 & 13.  
Land 2nd rate; Timber Oak, Heats, Ash &c.  
N. 9 Ash & Sugar &c.

West  
21.40 Between Sec 12 & 13. On the new line T. 15 N. R. 9 W.  
To the Borneo.

North  
40.00 Between Sec 11 & 12 T. 15 N. R. 9 W.  
Set a 1/4 in east from white

## T. N. 15 T. R. N. 9 T. 2nd Mer. Line.

|       |                                                                                                                                                                                                        |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | Sugar. 9 in diam. beam. N 88 E 26 hnts dist. to<br>Do. 12 " " " N 57 W 28 " "                                                                                                                          |
| 41.50 | To a Oak. 150 hnts wide, across M.                                                                                                                                                                     |
| 43.78 | Set apart on the N Boundary of Harris' land purchased<br>for the cross road. Sec. 12 1/2 from which an<br>Elm. 12 in diam. beam. S 55 W. 7 hnts dist. to<br>Maple. 4 " " " S 60 E. 19 " "              |
| North | Between Sec. 11 & 12. From old Road N.                                                                                                                                                                 |
| 8.40  | To a W Oak 30 in diam. in the line.                                                                                                                                                                    |
| 33.69 | Set apart for the cor. of Sec. 1, 2 N. 11. 172 from which,<br>Maple. 18 in diam. beam. N 5 E. 16 hnts dist. to<br>Do. 16 " " " S 60 W 30 " "<br>Said wood and mch. Timber Neckberry, W Oak &<br>Sugar. |
| East  | On a Random line between Sec. 1 & 12 T. 15 N. R. 9 T.                                                                                                                                                  |
| 40.00 | Set a temporary 7/4 cu post                                                                                                                                                                            |
| 79.92 | Intersect the East Boundary 106 hnts, South of the post.<br>cor. of Sec. 1 & 12<br>Said wood and 2nd rats; Timber Oak, Walnut & Maple.                                                                 |
| West  | On the true line between Sec. 1 & 12 T. 15 N. R. 9 T.                                                                                                                                                  |
| 39.96 | Set the temporary 7/4 cu post at the cor. dist. on the true line<br>from which, W Oak 30 in diam. beam. S 81 E. 12 hnts dist.<br>and an R. Oak. 48 " " " N 25 W. 47 " "                                |
| 79.92 | To the post cor. of Sec. 1, 2, 11 & 12                                                                                                                                                                 |
| North | Between Sec. 1 & 12 T. 15 N. R. 9 T.                                                                                                                                                                   |
| 7.25  | To a W Oak. 30 in diam. in the line.                                                                                                                                                                   |
| 40.00 | Set a 7/4 cu post from which an<br>Elm. 20 in diam. beam. S 53 W. 44 hnts dist. to<br>R Oak. 5 " " " S 86 E. 25 " "                                                                                    |
| 69.15 | To a Sugar. 18 in diam. in the line.                                                                                                                                                                   |
| 79.53 | Intersect the N Boundary 14 hnts West of the post cor.<br>of Sec. 25 & 36. T. 16. N. R. 9 T. and set apart for the<br>" " 1/2 from which                                                               |



T. N. 15 N. R. No 9 N. 2nd Mer. Ind. 307

W Oak. 14 in dia: beam West 16 units high; 12  
 Do. 10 " " " S 35 E. 18 " "  
 Sand hole and 2nd rats; Timber W Oak & N Oak,  
 Hickory Sugar. & Maple. 119 Grape vines.

North Between Secs 34 & 35. T. 15 N. R. 9 N. T. 6° 15'  
 40.00 Set a 7/8 support from which  
 Coffin into 24 in dia: beam S 62 E 36 units high; 12  
 Elm. 8 " " " N 72 W. 26 " "  
 80.00 Set a post for the cor. of sec 26, 27, 34 & 35 from which  
 Maple 36 in dia: beam. N 16 E 14 units high; 20  
 Do. 10 " " " S 19 E 18 " "  
 Some iron bottom which overflows.

East Between Sec 26 & 35. T. 15 N. R. 9 N. T. 6° 50'  
 13.73 Set a post on the Right Bank of Matash River for the  
 cor of frac! Sec 26 & 35 from which  
 Maple 45 in dia: beam. N 84 E 10 units high; 10  
 Do. 6 " " " S 79 W. 37 " "  
 West Between Sec 26 & 35. T. 15 N. R. 9 N.  
 40.50 Set a 7/8 support from which  
 Hickory 12 in dia: beam S 27 E 26 units high; 12  
 Mulberry 12 " " " N 10 W. 24 " "  
 52.30 Set a post on the Left Bank of the Matash River for the  
 cor. of frac! Sec 26 & 35 from which  
 Red Bud 8 in dia: beam. W 13 N. 93 units high; 12  
 Hickory 11 " " " N 11 E 23 " "  
 Sand hole under post overflows. and spent on making  
 good for farming:

North Between Sec 26 & 27. T. 15 N. R. 9 N. T. 6° 15'  
 40.00 Set a 7/8 support from which  
 Hickory 12 in dia: beam. N 24 W. 6 units high; 12  
 W Oak. 18 " " " S 44 E 56 " "  
 80.00 Set a post for the cor of sec 22, 23, 26 & 27 from which  
 W Oak. 10 in dia: beam. S 1 E 135 units high; 12



Black. 12 in diam. beam. N 34 E 96 fms ash;  
 Sand a little rolling and 2<sup>nd</sup> rate; Timber Oak;

East Return Dec. 23 & 26. T. 15 N. R. 977 N. 1. 50'  
 24.70 Set apart on the Right Bank of the Natabash River from  
 which a by common 36 in diam. beam. S 27. 23 fms ash  
 under Hickory, 18 " " " S 68 W. 26 " "  
 Set apart for the cr. of Dec. 23 & 26.  
 West Return Dec. 23 & 26.  
 40.00 Set a 1/4 post from which  
 Cotton wood 36 in diam. beam. N 13 W 36 fms ash; to  
 L. 40 " " " S 68 E. 44 " "  
 45.84 Set apart on the Left Bank of the Natabash River from  
 the cr. of Dec. 23 & 26 from which  
 Elm. 12 in diam. beam. S 61 E 25 fms ash; to  
 Do. 7 " " " A 13 W 33 " "  
 Sand overflowed bottom.

North Return Dec. 22 & 23. T. 15 N. R. 977 N. 1. 15'  
 40.00 Set a 1/4 post from which  
 Black. 24 in diam. beam. N 59 E. 90 fms ash; to  
 Do. 4 " " " N 1 E 31 " "  
 80.00 Set apart for the cr. of Dec. 14, 15, 22 & 23 from which  
 Hick. 10 in diam. beam. S 85 E. 14 fms ash; to  
 Cedar. 12 " " " N 76 W 61 " "  
 Sand barrens & 2<sup>nd</sup> rate;

East Return Dec. 14 & 23. T. 15 N. R. 977 N. 1. 50'  
 39.32 Set apart on the Right Bank of the Natabash River  
 for the cr. of Dec. 14 & 23 from which  
 Red Oak 14 in diam. beam. S 15 E. 27 fms ash; to  
 Do. 12 " " " N 11 E. 23 " "  
 Sand overflowed bottom.  
 West Return Dec. 14 & 23. T. 15 N. R. 977  
 30.69 Set apart on the Left Bank of the Natabash River from  
 the cr. of Dec. 14 & 23 from which

Maple. 8 in dia: beam. 853 N 18 units each; to,  
Epm. 9 4 " " 137 N 24 " "  
Same as same.

North Between Sec. 14 & 15 T. 15 N. R. 9 N.  
40.00 Set a 1/4 sec post from which  
Sugar. 6 in dia: beam. 828 E. 18 units each; to,  
Lo. 12 4 " " 147 N. 16 " "  
44.50 To a Brook. 10 units in dia, beam. E.  
80.00 Set a post for the cor. of sec. 10. 11. 14 & 15 from which,  
Healy 9 in dia: beam. 877 N. 12 units each; to,  
Lo. 10 4 " " 147 N. 9 " "  
Same a little rolling and good for far view

East Between Sec. 11 & 14 T. 15 N. R. 9 N. 7. 6. 50  
38.70 Set a post on the Right Bank of the Wataash, River for the  
cor. of frac! Sec. 11. & 14 from which -  
Bob Elder. 10 in dia: beam. 850 E. 18 units each; to,  
Lo. 4 4 " " 134 N. 6 " "  
Same as same.  
West Between Sec. 11. & 14  
29.37 Set a post on the Left Bank of the Wataash River for the  
cor. of frac! Sec. 11. & 14 from which -  
Same as to the which works.

South On a line from line between Sec. 10 & 11. T. 15 N. R. 9 N.  
40.00 Set a temporary post  
68.00 To a Brook. 11 units in dia, beam. E.  
80.00 Enter at the E. N. line at the post cor. of sec. 10. 11. 14 & 15  
Same as broken 2<sup>nd</sup> rate soil; Timber Bark, Sugar, Oak,  
& Healy.

North On the line between Sec. 10 & 11. T. 15 N. R. 9 N.  
40.00 Set a temporary post at the cor. each on the line from  
which - Oak. 15 in dia: beam. 849 E. 25 units each,  
and new Healy 18 " " " 173 N. 48 " "

|                        |                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 80.00                  | To the post cr. of sec. 2, 3, 10 & 11.                                                                                                                                                                                                                                                                                                                                                             |
| East<br>32.39          | Between Sec. 2 & 11. T. 15 N. R. 9 T.<br>Intersect the N. B. road line and set apart for the cr.<br>of sec. 2 & 11. from which<br>Maple 30 in diam. bears S 37 E. 21 links met; to<br>Do. 27 " " " N 74 W. 37 " "<br>Sand river bottom which overflows; rock road.                                                                                                                                 |
| East<br>35.9           | Between Sec. 2 & 11. from old B. road<br>Set apart on the Left Bank of the Matash River<br>for the cr. of sec. 2 & 11 from which<br>Elm. 12 in diam. bears North 30 links met; to<br>Maple 18 " " " N 78 W. 47 " "                                                                                                                                                                                 |
| West<br>20.30<br>33.50 | Between Sec. 2 & 11. T. 15 N. R. 9 T.<br>To a Hackberry 20 in diam. on the line<br>Set apart on the Left Bank of the Matash River for<br>the cr. of opp'd sec. 2 & 11. from which<br>Sugar. 24 in diam. bears S 9 W. 36 links met; to<br>W. Oak. 6 " " " N 62 E. 7 " "<br>A Sugar. 16 in diam. stands on the Bank of Matash,<br>for the cr. of sec. 2 & 11.<br>Sand land and 2 <sup>nd</sup> rate; |
| North<br>24.50         | Between Sec. 2 & 3. T. 15 N. R. 9 T.<br>Intersect the N. B. road of Harris in Purchase & set<br>apart for the cr. of sec. 2 & 3 from which<br>W. Oak. 12 in diam. bears N 56 E. 46 links met; to<br>R. Oak. 24 " " " S 34 W. 15 " "                                                                                                                                                                |
| North<br>15.50         | Sand good for farming,<br>Between Sec. 2 & 3. T. 15 N. R. 9 T.<br>Set a 1/4 apart from which<br>Hackberry. 24 in diam. bears N 50 W. 33 links met; to<br>Do. 12 " " " S 46 E. 38 " "                                                                                                                                                                                                               |
| 19.15.                 | To a Birch. 15 links met, corner S. E.                                                                                                                                                                                                                                                                                                                                                             |
| 21.75                  | To a Hackberry. 15 in diam. on the line.                                                                                                                                                                                                                                                                                                                                                           |
| 55.16.                 | Intersect the N. B. road 33 links West of the post cr.                                                                                                                                                                                                                                                                                                                                             |



T. N. 15 N. R. N. 9 T. 2nd Mer. Ind. 311

of sec. 34 & 35. T. 16. N. R. 9 T. and set apart for the  
cor of " 2. & 3 from which  
Beck. 18 in dist. from. N 59 W. 18 mts dist. to  
Sugar 12 " " S 72 E. 23 " "  
Land good for farming; Timber Sugar, Walnut  
Beck &c.

North Between Sec 33 & 34 T. 15 N. R. 9 T. N. 60 15'  
40.00 Set a 1/4 section from which  
Oak. 12 in dist. from. S 65 E. 19 mts dist. to  
Do. 15 " " " N 47 W. 22 " "  
80.00 Set apart for the cor of sec. 27, 28 33 & 34 from which  
Sugar. 12 in dist. from. S 42 E. 11 mts dist. to  
Oak. 40 " " " S 81 W. 15 " "  
Land good and good for farming; Timber Sugar,  
Oak &c.

East Oak Run line between Sec 27 & 34 T. 15 N. R. 9 T.  
N. 60 50'  
4.00 To a Prairie.  
40.00 Set a trap 1/4 section  
56.50 Clear prairie.  
79.78 Into cut the NTS line 2 mts South of the post on of  
Sec 26, 27, 34 & 35.  
Land good and good for farming;

West On the town line between Sec 27 & 34 T. 15 N. R. 9 T.  
39.89 Set the trap 1/4 section at the ar arch on the town line.  
No bearing tree  
79.78 To the post on of sec 27, 28 33 & 34

North Between Sec 27 & 28 T. 15 N. R. 9 T. N. 60 15'  
40.00 Set a 1/4 section from which  
Oak. 10 in dist. from. S 6 E. 74 mts dist. to  
Oak. 18 " " " N 37 W. 56 " "  
80.00 Set apart for the cor of sec. 21, 22, 27 & 28 from which



Sugar. 12 in mid. line. N 22 E. 45 hnts, met; 75  
 Do. 18 " " " S 2 E. 40 " "  
 Land 2nd rate

East On a Kansas line between Sec 22 & 27. T 15 N R 977.  
 3.00 To a Prairie. N. 45 W  
 40.00 Set a 7/8 cu post temp.  
 65.00 Leave prairie  
 79.87 Enter cut the N 13 line 27 hnts South of the post on of  
 Sec. 22, 23, 26 & 27.  
 Land prairie made good for farming;

West On the line between Sec 22 & 27 T 15 N R 977.  
 39.93 Set the temp 7/8 cu post at the creek in the line  
 Not bearing true.  
 79.87 To the post on of sec 21, 22, 27 & 28.

North Return Sec 21 & 22. T 15 N R 977. N. 45 W  
 40.00 Set a 7/8 cu post from white  
 7 Buoyage. 12 in mid. line. S 57 N. 24 hnts, met; 75  
 Sugar 12 " " " N 66 N. 17 " "  
 80.00 Set a post for the cor. of sec. 15, 16, 21 & 22 from white  
 N Oak 10 in mid. line. N 7 E. 20 hnts, met; 75  
 B Oak 26 " " " N 16 E. 27 " "  
 Land made good for farming; Timber Beech,  
 Sugar & Oak,

East On a Kansas line between Sec 15 & 22 T 15 N R 977  
 10.15 To a Brook. 10 hnts, mid, become N. E.  
 40.00 Set a temp 7/8 cu post  
 80.59 Enter cut the N 13 line 62 hnts South of the post  
 cor of sec. 14, 15, 22 & 23.  
 Land a little rolling made good for farming;  
 Timber Sugar & Oak,

West On the line between Sec 15 & 22 T 15 N R 977

I No 15. N. R. No 9 N. 2nd (Mn. Ind: 313

40.29 Set the trap for report at the arch in the tree  
from which 13 ft alt. 15 in diam. tree. N13 E. 15 ft alt.  
under Sugar. 20 " " " S35 W. 40 " "  
81.59 To the post on of ear 15.16. 21 & 22

North Return Jul 15 & 16. I 15 N R 9 N.  
24.00 To a Brook. 5 miles wide, corner E.  
40.00 Set a trap for report from which  
Heck 11 in diam. tree. S25 E. 9 miles wide; on  
Buck. 12 " " " N8 W. 30 " "  
80.00 Set a post for the ear of ear 9. 10. 15 & 16. from which  
Oak. 30 in diam. tree. N70 W. 19 miles wide; on  
E. 10 " " " S77 E. 25 " "  
Send some little broken and good for farming  
In the Bush, Sugar, Oak, Heck & Co.

East On a Run on line between Jul 10 & 15. I 15 N R 9 N.  
17.50 To a Brook. 5 miles wide, corner S.E.  
22.50 " " 10. 5 " " " " "  
40.00 Set a trap for ear post.  
60.00 To a Brook. 3 miles wide, corner S.  
65.50 " " 10. 4 " " " " "  
81.04 Into cut the N & S line 77 miles south of the post on of  
Jul. 10. 11. 14 & 15.  
Send similar East to broken.

West On the tree line between Jul 10 & 15. I 15 N R 9 N.  
40.50 Set the trap for report at the arch in the tree line  
S. 12 in diam. tree. N46 E. 12 miles wide; on  
Heck 9 " " " S35 W. 43 " "  
81.04 To the post on. of ear 9. 10. 15 & 16.

North Return Jul 9 & 10. I 15 N R 9 N. On the tree line  
40.00 Set the trap for report at the arch in the tree line  
from which N Oak. 14 in diam. tree. N43 W. 12 miles wide;  
under Oak 18 " " " N82 E 3 " "

|       |                                                                                                                                                                                                                          |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 80.13 | Set post on of ear 34 970.                                                                                                                                                                                               |
| South | On the Run down line between Ear 970 J. 15 N.R. 97                                                                                                                                                                       |
| 40.00 | Set a transport for ear post                                                                                                                                                                                             |
| 80.12 | Enter cut the E of N line 13 miles East of the post on of<br>Ear 9. 10. 15 716.<br>Sum de same.                                                                                                                          |
| East  | Between Ear 3710. J. 15 N.R. 97.                                                                                                                                                                                         |
| 40.00 | Set a 7 <sup>th</sup> report from which,<br>Oak. 30 in dist. from N 81 E. 120 miles dist; 70,<br>Oak. 9 " " " 137.35 " "                                                                                                 |
| 80.00 | Set a post for the on of ear 2, 3, 10 711 from which,<br>Sugar. 14 in dist. from N 75 E. 11 miles dist; 70,<br>Oak. 30 " " " 287.41 " "<br>Sum de same. East for broken. 2 <sup>nd</sup> rate;<br>Timber Oak & White.    |
| North | Between Ear 3714. J. 15 N.R. 97                                                                                                                                                                                          |
| 40.00 | Set a 7 <sup>th</sup> report from which,<br>Sugar. 12 in dist. from N 57 E. 50 miles dist; 70,<br>Sugar. 11 " " " 707.25 " "                                                                                             |
| 81.39 | Enter cut the N Bore. 17 J. 82 miles East of the post<br>on of ear. 33 & 34. J. 16. N.R. 97. and set a post for the<br>" " 374 from which<br>Oak. 18 in dist. from N 72 E. 15 miles dist; 70,<br>Oak. 8 " " " 727.43 " " |
| South | On a Run down line between Ear 32 & 33. J. 15 N.R. 97                                                                                                                                                                    |
| 40.00 | Set a transport for ear post                                                                                                                                                                                             |
| 46.50 | For a Brook 10 miles end, leaves E.                                                                                                                                                                                      |
| 65.00 | " " Do 10 " " " E                                                                                                                                                                                                        |
| 80.05 | Enter cut the South Bore. 7 5 miles West of the post<br>on of ear. 33 & 34<br>Sum de same. 2 <sup>nd</sup> rate; Timber Oak &.                                                                                           |





21, 22, 27, &amp; 28.

Land same.

|       |                                                                                                                                |
|-------|--------------------------------------------------------------------------------------------------------------------------------|
| West  | On the same line between Sec 21 & 28 T. 15 N. R. 9 W.                                                                          |
| 39.88 | Set the temporary 1/4 corner at the ar ditch on the same line from which N. 1/4 18 in air. bears S 21 E. 7 1/2 m. dist. 1/2 m. |
|       | Lo. 12 1/2 " " N 74 W. 18 1/2 "                                                                                                |
| 79.77 | To the post cor of sec. 20, 21, 28 & 29.                                                                                       |
| North | Between Sec 20 & 21. T. 15 N. R. 9 W.                                                                                          |
| 40.00 | Set a 1/4 corner from which Sugar. 10 in air. bears S 66 E. 18 m. dist; or                                                     |
|       | Lo. 8 " " " S 16 W. 17 1/2 "                                                                                                   |
| 60.00 | To a Bond in the Creek.                                                                                                        |
| 80.00 | Set a post for the cor of sec. 16, 17, 20 & 21. from which N. 1/4 12 in air. bears S 41 E. 21 m. dist; or                      |
|       | Lo. 12 1/2 " " " S 67 W. 19 1/2 "                                                                                              |
|       | Land same.                                                                                                                     |
| East  | On a line same line between Sec 16 & 21 T. 15 N. R. 9 W.                                                                       |
| 4.00  | To a Brook. 20 m. dist. from S.                                                                                                |
| 17.50 | " " Lo. 4 " " " "                                                                                                              |
| 40.00 | Set a temporary 1/4 corner.                                                                                                    |
| 80.50 | Enter east the N. 1/4 line 52 m. dist. North of the post cor. of sec. 15, 16, 21 & 22                                          |
|       | Land here and 2nd rate, me adding good for farming —                                                                           |
| West  | On the same line between Sec 16 & 21 T. 15 N. R. 9 W.                                                                          |
| 40.25 | Set the temporary 1/4 corner at the ar ditch on the same line from which Sugar. 12 in air. bears N 37 W. 40 m. dist. or        |
|       | Lo. 14 1/2 " " " S 56 E. 26 1/2 "                                                                                              |
| 80.50 | To the post cor of sec. 16, 17, 20 & 21.                                                                                       |

Feb. 5 1816.

North Between Sec 16 &amp; 17 T. 15 N. R. 9 W.





## T. No 15 N. R. No 9 N. D. M. S. Ind.

Sugar. 8 in diam. trees 30 N. 11 limbs each; 12  
 Hickory 12 " " " N 18 N. 42 " "  
 Good land and good for farming & part  
 rather wet; Timber Oak, Hickory & Sugar.

North Return Dec 4/33 T. 15 N. R. 9 N.  
 40.00 Set a 1/4 cup post from which  
 Buck. 13 in diam. trees N 66 N. 16 limbs each; 12  
 Hickory 9 " " " N 84 E. 20 " "  
 73.50 To a Brook 6 limbs each, corner E.  
 79.00 " " 10 " " " " " "  
 80.68 Set a post for the cor of sec 38 & 39 10/16 N. R. 9 N. and set a post for the  
 " " " 5 & 4 from which  
 N Oak. 12 in diam. trees N 71 N. 15 limbs each; 12  
 Oak. 20 " " " " N 79 N. 15 " "

Feb. 7 3. 18. 16. N. 10-15  
 North Return Dec 31/32 T. 15 N. R. 9 N.  
 40.00 Set a 1/4 cup post from which  
 B. Oak. 36 in diam. trees N 15 N. 22 limbs each; 12  
 Hickory 12 " " " " N 17 N. 63 " "  
 80.00 Set a post for the cor of sec 29, 30, 31 & 32 from which  
 B. Oak. 24 in diam. trees N 7 N. 13 limbs each; 12  
 Cedar. 6 " " " " N 26 N. 46 " "  
 Good land and good for farming Timber Oak, Ash,  
 & Hickory

East Return Dec 29/30 T. 15 N. R. 9 N. N. 10-50  
 25.00 To a small Brook corner N. E.  
 40.00 Set a 1/4 cup post from which  
 N Oak. 10 in diam. trees N 45 N. 43 limbs each; 12  
 Buck. 12 " " " " N 45 N. 22 " "  
 80.00 Set a post for the cor of sec 28, 29, 32 & 33 from which  
 N Oak 6 in diam. trees N 75 N. 11 limbs each; 12  
 N Oak. 26 " " " " N 87 E. 45 " "

T. N. 18 N R. N. 9 W 2nd Mer. Ind. 319

Land 2nd rate; Timber Oak, &c.

|        |                                                                                                                   |
|--------|-------------------------------------------------------------------------------------------------------------------|
| West   | Between Sec 30 & 31 T. 15 N R. 9 W. N. 60 50'                                                                     |
| 25.00  | To a Prairie.                                                                                                     |
| 40.00  | Set a 1/4 sec post in prairie from which                                                                          |
|        | Meas 18 in diam. bears N 47 W. 428 ft. dist.                                                                      |
| 48.77  | Intersect the N 45 line or West 4th Mer. N. 31 miles N. of the post on of sec. 25 T. 36. T. 15 N R. 10 W. & set a |
|        | - " " " " 31 T. 31                                                                                                |
|        | Not bearing true.                                                                                                 |
| South  | On a Run and line between Sec 29 & 30 T. 15 N R. 9 W.                                                             |
| 40.00  | Set a 1/4 sec temp. post.                                                                                         |
| 49.00  | To a Brook. 10 miles N. W. corner E.                                                                              |
| 49.75  | Intersect the E 1/4 line 36 miles East of the post on of sec. 29. 30. 31 T. 30                                    |
|        | Sec. 20 E. corner.                                                                                                |
| North  | On the new line between Sec 29 & 30 T. 15 N R. 9 W.                                                               |
| 39.87  | Set the temp. 1/4 sec post at the corner on the new line from which                                               |
|        | N Oak 26 in diam. bears N 47 W. 26 ft. dist                                                                       |
|        | under. Do. 36 " " " N 54 E. 35 " "                                                                                |
| 49.75  | To the post on of sec. 19. 20. 29. T. 30.                                                                         |
| East   | Between Sec. 17 & 20 T. 15 N R. 9 W.                                                                              |
| 12.00. | To a Brook. 10 miles N. W. corner E.                                                                              |
| 40.00  | Set a 1/4 sec post from which                                                                                     |
|        | Elm. 8 in diam. bears N 14 E. 20 ft. dist; or,                                                                    |
|        | Sugar. 8 " " " N 34 E. 24 " "                                                                                     |
| 80.00  | Set a post for the cor of sec. 16. 17. 20 & 21 from which                                                         |
|        | N Oak 10 in diam. bears N 44 E. 17 ft. dist; or,                                                                  |
|        | Do. 12 " " " N 87 E. 22 " "                                                                                       |
|        | Land good for farming; Timber Oak Sugar, &c.                                                                      |
| West   | Between Sec. 20 & 29 T. 15 N R. 9 W.                                                                              |
| 40.00  | Set a 1/4 sec post from which                                                                                     |

T. N. 15 T. R. N. 9 T. 2<sup>nd</sup> Mr. Ind.

|                |                                                                                                                                                                                                                                                            |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                | R. Oak. 14 in diam. trees. N 46 E. 21 1/2 miles met; to<br>W Oak. 18 " " " S 57 W. 22 " "                                                                                                                                                                  |
| 49.00          | To a Brook. 20 1/2 miles wide, lower S. E.                                                                                                                                                                                                                 |
| 80.00          | Set a post for the corner of sec 19. 20. 29 & 30 from which<br>B Walnut. 6 in diam. trees. S 15 E. 20 1/2 miles met; to<br>Sugar. 8 " " " S 68 W. 16 " "                                                                                                   |
|                | Land good for farming; some Sugar Oak &                                                                                                                                                                                                                    |
| West           | Between Sec 19 & 30 from which T. 15 T. R. 9 W                                                                                                                                                                                                             |
| 40.00          | Set a post for the corner of sec 19 & 30 from which<br>Hick. 18 in diam. trees. S 17 E. 48 1/2 miles met; to<br>W Oak. 30 " " " N 60 W. 50 " "                                                                                                             |
| 80.55.         | Enter cut the West Branch of the river 89 miles South of the post<br>corner of sec 24 & 25. T. 15 T. R. 10 W and set a post for the<br>" " " 19 & 30 from which<br>W Oak. 30 in diam. trees. S 87 W. 70 1/2 miles met; to<br>B Oak. 24 " " " S 4 E. 75 " " |
| South          | On a Branch line between Sec 19 & 20. T. 15 T. R. 9 W                                                                                                                                                                                                      |
| 40.00          | Set a temporary post for the corner                                                                                                                                                                                                                        |
| 49.00          | To a Brook. 20 1/2 miles wide lower S. E.                                                                                                                                                                                                                  |
| 80.28          | Enter cut the E. West line 16 miles West of the post<br>corner of sec 19. 20. 29 & 30<br>Set a corner.                                                                                                                                                     |
| South          | On the same line between Sec 19 & 20. T. 15 T. R. 9 W                                                                                                                                                                                                      |
| 40.00          | Set the temporary post for the corner at the ar. dish on the same line<br>from which W Oak. 14 in diam. trees. S 71 W. 21 1/2 miles met<br>and a B Oak. 6 " " " S 77 E. 32 " "                                                                             |
| 80.28          | To the post corner of sec 17. 18. 19 & 20                                                                                                                                                                                                                  |
| East.          | Between Sec 17 & 20 T. 15 T. R. 9 W                                                                                                                                                                                                                        |
| West?<br>12.00 | To a Brook. 10 1/2 miles wide, lower S. E.                                                                                                                                                                                                                 |
| 40.00          | Set a post for the corner of sec 17 & 20 from which<br>Elm. 8 in diam. trees. N 14 E. 22 1/2 miles met; to<br>Sugar. 8 " " " S 34 E. 24 " "                                                                                                                |



I No. 15 NR No 97. 2nd (New) Ind. 321

80.00 Set a post for the cor of ew 17.18.19. & 20 from which  
 W Oak. 12 in dist. from. N 44 E. 17 bts met, or  
 ' Ho. 12 " " " N 87 W. 20 " "  
 Land good for farming Timber Oak, Sugar etc.

West Between Dec 18 & 19 I 15 NR 97.  
 40.00 Set a 7th eapost from which  
 W Oak. 10 in dist. from. N 64 E. 15 bts met, or  
 Ho. 15 " " " N 31 E. 20 " "  
 75.00 Top Brook. 10 bts mid. from S E  
 81.30 Enter at the West Brook N. 7 1/2 bts North of the post  
 cor of ew 13 & 24 I. 15 NR 107 and set a post cor.  
 " " 18 & 19 from which  
 Hick 76 in dist. from. S 17 bts met, or  
 Ho. 6 " " " N 74 E. 23 " "

North Between Dec 17 & 18 I 15 NR 97.  
 40.00 Set a 7th eapost from which  
 Sugar. 12 in dist. from. N 87 W. 84 bts met, or  
 W Oak. 36 " " " N 40 E. 43 " "  
 48.50 Top Brook. 10 bts mid. from S E  
 80.00 Set a post for the cor of ew. 7.8.17 & 18 from which  
 Hick 114 in dist. from. N 70 W 36 bts met, or  
 W Oak. 124 " " " N 64 E. 28 " "  
 Land 2nd rate; Timber Oak, Hick etc.

East On a line from line between Dec 17 & 18 I 15 NR 97  
 40.00 Set a temporary 7th eapost  
 60.00 Top Brook. 20 bts mid. from S E.  
 81.53 Enter at the N 10 line 8 bts North of the post cor of ew  
 8.9.16 & 17.  
 Land a little rolling and 2nd rate; Timber Oak & Sugar.

Feb 6. 1816  
 West On the line between Dec 8 & 17 I 15 NR 97.  
 40.76 Set the temporary post on the line at the ar dish from.

from which Edge. coincides from S14 E 23 1/2 mls  
 under Sugar 8 " " " N 29 7/8 30 " "  
 81.53 To the position of Aug 7. 8. 17. 18.  
 Feb. 6 1816.

West On the line line between Dec 7 & 18 T 15 N R 97 N  
 40.00 Set the 7<sup>th</sup> support from which  
 Heater 10 in dist. from S17 E 36 knots dist. to  
 10. 12 " " " N 19 7/8 44 " "  
 81.76 Enter cut the West Room N 7 7/8 knots North of the post on,  
 of Dec. 12 & 13 S 15 N 19 7/8 m. Set a post for the cut,  
 " " 7. 18 from which  
 Sugar 10 in dist. from S18 N. 35 knots dist. to  
 Oak. 3 1/2 " " " S 51 E 35 " "

North Return Dec 7 & 18. T 15 N R 97 N.  
 4.50 To a Brook 10 knots, near corner S.E.  
 40.00 Set a post support from which  
 Sugar. 15 in dist. from S14 E 19 knots dist. to  
 Oak. 12 " " " S 11 E 30 " "  
 78.50 To a Brook. 15 knots dist. corner S.E.  
 80.00 Set a post for the cut of Dec. 5. 6. 7. 18 from which  
 Sugar. 12 in dist. from S25 N. 18 knots dist. to  
 Oak. 10 " " " S 11 E 51 " "  
 Land 2<sup>nd</sup> rats; Timber Oak, Sugar, Hickory

East On the line line between Dec 5 & 18 T 15 N R 97 N  
 40.00 Set a temporary support N. 4.50  
 81.00 Enter cut the N 15 line 7 knots North of the post on,  
 of Dec 4. 5. 18 & 19.  
 Land a little rolling and 2<sup>nd</sup> rats; broken  
 Timber Oak Oak & Elm

West On the line line between Dec 5 & 18 T 15 N R 97 N  
 40.00 Set the temporary support at the ardent on the line  
 from which, Dec 4. 5. 18 & 19. S 18 E 16 knots

323

I. N. 15 N. R. N. 9 N. 2nd. Mar. Ind.

|                                                                                                                       |                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 81.00                                                                                                                 | made a Sugar 14 in diam. beam. \$2762 lb. ash<br>To the first cr. of run 5. 6. 7. 8.                                                                                                                                   |
| 4400                                                                                                                  | Return Sat 6th J. 15 N. R. 9 N.<br>To a Brook. 15 links on a, beam S.E.                                                                                                                                                |
| 250                                                                                                                   | Set a 1/2 support from which                                                                                                                                                                                           |
| 4000                                                                                                                  | Sugar 10 in diam. beam. \$228.2 lb. ash, on<br>Lo. 8 " " " \$3 E. 27 " "                                                                                                                                               |
| 83.19                                                                                                                 | Intersect the West Boundary 16 links South of the first<br>cr. of run 1. 5. 12 from which<br>Hick 12 in diam. beam. \$49 N. 133 lb. ash, on<br>Cedar. 14 " " " \$27 E. 80 " "                                          |
| Brook                                                                                                                 | Return Sat 5th J. 15 N. R. 9 N. N. to 15'                                                                                                                                                                              |
| 4000                                                                                                                  | Set a 1/2 support from which.                                                                                                                                                                                          |
|                                                                                                                       | W Oak. 36 in diam. beam. \$35 E. 20 lb. ash, on<br>Lo. 12 " " " \$24 N. 35 " "                                                                                                                                         |
| 49.32                                                                                                                 | Intersect the N Boundary 5.21 links East of the first<br>cr. of run 31 532 J. 16 N. R. 9 N. and set a 1/2<br>" " " 5th from which<br>W Oak. 24 in diam. beam. \$51 E. 47 lb. ash, on<br>W Oak. 27 " " " \$38 N. 18 " " |
|                                                                                                                       | Good land and good soil; rather wet; Timber<br>Oak, Hick, Cedar &c.                                                                                                                                                    |
| <p>Meanders of the Left Bank of Matash River.<br/>Commenced on the South Boundary of run. 35<br/>J. 15 N. R. 9 N.</p> |                                                                                                                                                                                                                        |
| N 28 E.                                                                                                               | 12.75                                                                                                                                                                                                                  |
| N 25 E.                                                                                                               | 10.61                                                                                                                                                                                                                  |
| N 21 E.                                                                                                               | 7.74                                                                                                                                                                                                                   |
| N 10 E.                                                                                                               | 6.82                                                                                                                                                                                                                   |
| N 4 E.                                                                                                                | 4.33                                                                                                                                                                                                                   |
| N 6 W.                                                                                                                | 8.90                                                                                                                                                                                                                   |
| N 47 W.                                                                                                               | 7.32                                                                                                                                                                                                                   |
| N 76 1/2 W.                                                                                                           | 26.66. at 13.00 ch. To the River 5 rods.                                                                                                                                                                               |



N10E. 3.90 In Lu. 35.

N29E. 7.76.

N38E. 12.17

N48E. 1.42 To the cor of ew. 26 &amp; 35

N40E. 8.93.

N38E. 4.80

N31E. 10.37

N38E. 6.72

N19E. 8.92

N2E. 3.79

In Lu. 26.

N87W. 9.13

N147W. 8.49

N207W. 7.33

N297W. 12.53

N157W. 8.36 To the post cor of ew. 23 &amp; 26.

N157W. 2.80

N27W. 13.45

N17E. 3.42

N29E. 15.00

In Lu. 23.

N24E. 9.07

N18E. 11.65

N9E. 6.39

N3E. 19.50

N77W. 2.35 To the cor of ew. 14 &amp; 23.

N7E. 7.17

N10th 12.19

N4E. 9.72

N8E. 4.12

N10th 15.61

N6E. 6.00

N10th 11.53

N47W. 6.59

N27W. 6.87 To the cor of ew. 11 &amp; 14

T. N. 15 N. R. N. 9 W. 2nd. Pm. Ind. 325

\$2 W. 3.23  
 \$8 W. 32.91  
 \$10 W. 21.14  
 \$5 E. 15.30 To the B. & O. N. 10 Harrison Purchase

Commenced in the N. B. & O. N. 7 of Sec. 2, T. 15 N. R.  
 9 W. thence down stream Left Bk.  
 \$2 W. 13.73  
 \$20 W. 9.00 In Sec. 2.  
 \$5 W. 20.00  
 \$25 W. 9.00  
 \$18 W. 23.50  
 \$24 W. 4.50  
 \$32 W. 4.63  
 \$20 W. 8.00 To the end of Harrison's Purchase

Meanders of the Right Bank of the  
 Matash River Commenced in the N. B. & O.  
 N. 7 of Sec. 2, thence down stream, in  
 Sec. 2.  
 \$6 W. 6.00  
 \$9 W. 50.00  
 \$20 W. 15.00  
 \$22 W. 11.00 To the mouth of a creek 50th m. S. E.  
 \$22 W. 1.00 To the end of Sec. 2 & 11.

\$22 W. 2.30 To the B. & O. N. 7 of Harrison's Purchase

Commenced in the B. & O. N. 7 line of Harrison's  
 Purchase thence down stream in Sec. 11  
 \$13 W. 7.26  
 \$4 E. 9.20  
 \$6 E. 11.11  
 \$3 E. 5.84  
 South. 4.69

326

T. N<sup>o</sup> 15. N. R. N<sup>o</sup> 97 2<sup>nd</sup> Mer. Sud<sup>o</sup>

|           |       |                                              |
|-----------|-------|----------------------------------------------|
| S 27 W    | 7.47  |                                              |
| S 7 W     | 7.04  |                                              |
| South     | 8.50  | In sec. 11                                   |
| S 7 E     | 8.47  |                                              |
| S 15 E    | 6.65  |                                              |
| S 19 E    | 2.76  | To the post cor of sec 11 & 14 Thence        |
| S 13 E    | 6.59  |                                              |
| S 3 E     | 11.87 |                                              |
| S 1 W     | 10.40 | In sec. 14                                   |
| S 3 W     | 24.84 |                                              |
| S 4 E     | 6.86  |                                              |
| S 5 W     | 15.50 |                                              |
| S 6 1/2 E | 2.56  | To the cor. of sec 14 & 23. T. 15 N. R. 97 W |
| South     | 11.34 |                                              |
| S 7 W     | 20.00 |                                              |
| S 32 W    | 12.93 | In sec. 23                                   |
| S 23 W    | 8.50  |                                              |
| S 30 W    | 4.74  |                                              |
| S 6 W     | 8.80  |                                              |
| S 1 E     | 18.11 | To the post cor. of sec. 23 & 26             |
| S 6 W     | 1.74  |                                              |
| S 11 E    | 9.57  |                                              |
| S 17 E    | 11.00 |                                              |
| S 21 E    | 7.66  | In sec. 26                                   |
| S 24 E    | 7.61  |                                              |
| S 16 E    | 7.98  |                                              |
| S 4 W     | 8.60  |                                              |
| S 37 W    | 15.31 |                                              |
| S 46 W    | 15.78 |                                              |
| S 28 W    | 3.50  |                                              |
| S 36 W    | 3.14  | To the post cor of sec. 26 & 35              |
| S 42 W    | 8.13  |                                              |



T. N. 15. N. R. N. 9 W 2<sup>nd</sup> Mer. Ind. 327

S26 W 10.50

S20 E 8.50

S37 E. 11.00

S54 E. 3.30

S62 E 9.48

S71 E. 11.79

In cu. 35.

S54 E 5.57

S23 W. 10.93

S33 W 30.00

N84 W 1.31

To the cor in the South Branch of cu. 35.  
T. 15 N. R. 9 W.

The part of the Township lying in Harrison's Purchase  
was surveyed by

William Harris. D.S.

The part lying North of Harrison's Purchase &  
East of the Wabash River was surveyed by

David Bentley

Dep't Survey.

The part lying North of Harrison's Purchase &  
West of the Wabash River was surveyed by

William Polke

Dep't Survey

I certify that the foregoing Transcripts of the field  
notes of Township N. 15 North of Range N. 9  
West of the 2<sup>nd</sup> Principal Meridian in  
Indiana has been compared with the Original notes  
in this Office and found to be correct.

Surveyor General's Office  
Cincinnati, Sept. 2. 1841.

J. S. Haines  
Sut. Genl.